

NOTES:

or returned to FLOTRON, Inc.

WT: 3639.3 lbmass Cad software: Inventor SHEET 1 OF 15

				SF	P-74	17 &	SFF	P-75	9 SE	RIE	s o	PTIC	DNS	S CC	OMP	ATI	BILI	TY	MAT	F
		SI	ZE	LI	FT		TERY ERED		KLIFT BES	JAC	CKS	PUSH	I BAR	(	GEARBO	X	CORI HAND	DLESS DRILL	INE	DE)
		SFP-747	SFP-759	BLANK	EML	BLANK	BAT	BLANK	F1	BLANK	J5	BLANK	P1	BLANK	DR3	DR6	BLANK	D	BLANK	١N
SIZE	SFP-747																			
JIZE	SFP-759																			
LIFT	BLANK - STANDARD						X													
	EML								X				X							
BATTERY POWERED	BLANK - NO BATTERY																			
B/(TTERTTOTIENED	BAT			X																
FORKLIFT TUBES	BLANK - NO TUBES																			
TORICEILT TODES	F1				X															
JACKS	BLANK - NO JACKS																			
JACKS	J5																			
PUSH BAR	BLANK - NO PUSH BAR																			
TOSTIDAR	P1				X															
	BLANK - STANDARD															-		X		
GEARBOX	DR3																	-		
	DR6																-			
CORDLESS HAND	BLANK - NO DRILL																			
DRILL	D													X	-					
	BLANK - NO INDEX																			
INDEX PLATE	IND15																	-		
	INDS15																	-		
	BLANK - NO TOW																			
TOWING INTERFACE	T1				X															
	Т2				X															
	Т3								X		X (4)									
SECONDARY AXIS OF	BLANK - NO CRADLE																			
ROTATION CRADLE	SA1-SA8	X												-	-		-			
	1. OPTIONS SHOWN AS							R OPTIO												
	2. OPTIONS SHOWN AS										IMEND	ED. COM	NTACT	FLOTRO	DN FOR	FURTHE	R DETA	ALS ANE	D EXPLA	NA
	OPTIONS NOT SHOW								OPTIC	DNS .										
4	. JACKS WITH T3 OPTIO	IN AKE C	.OMPAT	IRLF AAI	IH SFP-	723 ONI	. T													



# **TRIX** SECONDARY AXIS TOWING INTERFACE DEX PLATE OF ROTATION CRADLE IND15 INDS15 BLANK T1 BLANK SA1-SA8 T2 Т3 Х X X Х X (4) -----NATION OF CONCERNS/RISKS

This Drawing is the property of FLOTRON, Inc. and is not to be used, copied or reproduced in any way other than for the particular purpose for which it is provided, and when said purpose has been fulfilled, it should be destroyed or returned to FLOTRON, Inc.

8	FLOTR	ON®		LIFORN	RESS STREET FORNIA 92081 ron.com			
ALE		SIZE	DRAWING NO.			REV		
	1 : 10	D	8053-600P	ROP				
			·	SHEET	2 (	)F 15		

## SFP · ESD Ground · Finishes Trunnion Mounts Push Lubricants Liŧ <sup>-</sup>orklift Dril

## Finishes

(blank) - Standard finishes (No Zinc) C - - - - Clean room finishes

## **ESD Ground**

(blank) - No ESD ground

E - - - - Ground lug and drag chain for use in EPA's

## Lubricants

- (blank) Standard lubricants
- L1 - Trunnions, caster swivel bearings, and jacks (if applicable) lubricated with Krytox GPL 207
- L2 - Trunnions, caster swivel bearings, and jacks (if applicable) lubricated with Braycote 601EF NOTE: "C" finish includes L1 lubricants except in jack screw
- threads.

## Size

- 747 - 47" wide frame; 30.5"-36.5" max payload swing radius; 2,500 lb. capacity
- 759 - 59" wide frame; 43.5" 49.5" max payload swing radius; 2,500 lb. capacity

### Lift

- (blank) Risers pinned at 2" increments (overhead lift req)
- EML - Electromechanical Lift. This option increases lift range and max swing radius. See proposal drawing for details.

## **Battery Powered**

- (blank) No battery
- BAT - Battery powered lift for EML option

## Forklift Tubes

- (blank) No forklift tubes
- F1 - Frame mounted forklift tubes (not available for "B" distances over 150". Inside of tubes not fully plated (Even for "C" finish)

## Jacks

- (blank) No jacks provided
- J5 - Jacks with hex drive

## **Push Bar**

- (blank) No push bar
- P1 - Non-gearbox side riser mounted push bar (Can mount to gearbox side riser but only in highest two interface height pin positions)

## Gearbox

- (blank) 60:1 ratio standard gearbox
- DR3 - 300:1 ratio double reduction stairstep resistant Gearbox. Recommended for torques higher than 2,000in-lbs.
- DR6 - 600:1 ratio double reduction stairstep resistant Gearbox. Must select "D" drill drive option.

## **Cordless Drill Drive Input**

(blank) – No hand drill

D - - - - Battery powered right angle drill permanently Mounted to gearbox input shaft (Must select DR6 Gearbox option)

## **Proof Load Test**

(blank) - - No proof load test

## Secondary Axis Payload Adapter Ring

- (blank) No adapter ring for secondary axis of rotation cradle.
  - - on a Ø24" bolt circle (ESPA Grande)
- on a Ø24" bolt circle (ESPA Grande)

## **Secondary Axis of Rotation Cradle**

- (blank) - No secondary axis of rotation SA1 - - - Secondary axis of rotation (Bolt Position 1) SA2 - - - Secondary axis of rotation (Bolt Position 2) SA3 - - - Secondary axis of rotation (Bolt Position 3) SA4 - - - - Secondary axis of rotation (Bolt Position 4) SA5 - - - Secondary axis of rotation (Bolt Position 5) SA6 - - - - Secondary axis of rotation (Bolt Position 6) SA7 - - - Secondary axis of rotation (Bolt Position 7) SA8 - - - - Secondary axis of rotation (Bolt Position 8) NOTE: NOT COMPATIBLE WITH SIZE 747 See proposal drawing to determine correct bolt position. Bolt positions can be changed in the field, but bolt position selected will be the bolt position fixture is shipped with. Must select B120 interface distance when specifying standard length cradle. Special length cradles available upon request in increments of 20".
  - To get most capability out of SA option and for best operator experience, "DR6" gearbox with drill drive input ("D" Option) is highly recommended. Option reduces load capacity to 1,800 lbs cantilevered 33" max from interface.

## Caster

(blank) - - Standard Ø6" nylon casters with swivel locks and brakes C1 - - - - Ø8" nylon casters with swivel locks and brakes

## **Towing Interface**

(blank) - - No towing interface T1 - - - - Removable lunette ring towing interface (attaches to main beam) T2 - - - - Removable ball coupler towing interface (attaches to main beam) T3 - - - - Removable tow bar (attaches to end frames) T3 option is not compatible with jacks (J5 option) for 747 size. NOTE:

## Interface Distance

3"XXX" Interface di	stance wh	ere "
interface m	ounts. (1"	incre
<u>SIZE</u>	<u>MIN</u>	<u>MA</u>
SFP-747	30"	280
SFP-759	40"	280


## **Trunnion Interface Mounts**

P12 - - - - 8" x 12" mounting plate

- P12/A30 P12 (8" x 12") mounting plate with A30 angle (No mounting holes) bolted to P12. P12/B30 - P12 (8" x 12") mounting plate with B30 angle (Standard mtg. hole
- pattern) bolted to P12. Special angle interface lengths available upon request. NOTE:

## Index Plate

(blank) - - No index plate IND15 - - 15° index plate INDS15 - 15° index plate with index stops NOTE:




PLT - - - - Standard proof load Test (includes deliverable report)

Standard SA interface comes with 36X <sup>1</sup>/<sub>4</sub>-28 threaded holes R - - - - Adapter ring to convert SA interface holes to 36X Ø.281 thru holes


"XXX" = length in inches between trunnion ements within the following range)  $\frac{AX}{0"}$ 0"

# Special index plate hole spacing available upon request.

## Example:



# SFP-700 SERIES CREATING A MODEL NUMBER



### P12/A30 <u>J5</u> **B** 120

Jacks

Angle Interface 30" length

Inside Length between Trunnion interfaces = 120"


This Drawing is the property of FLOTRON, Inc. and is not to be used, copied or reproduced in any way other than for the SCALE particular purpose for which it is provided, and when said purpose has been fulfilled, it should be destroyed or returned to FLOTRON, Inc.



2630 PROGRESS STREET VISTA, CALIFORNIA 92081 http://www.flotron.com

SHEET 3 OF 15


# **EML** (ELECTROMECHANICAL LIFT) OPTION




- 10. MIN/MAX TEMPERATURE FOR ELECTRICAL COMPONENTS: +41°F TO +104°F
- 9. UNIT WILL RETAIN POSITION WHEN TURNED OFF SO NO HOMING FUNCTION IS NECESSARY DURING NORMAL USE.
- 8. NOISE LEVEL: 48dB(A); MEASURING METHOD DS/EN ISO 3743-1, WHEN ACTUATORS ARE NOT LOADED.
- 7. DUTY CYCLE: MAX 10% OR 2 MINUTES CONTINUOUS USE FOLLOWED BY 18 MINUTES NOT IN USE.
- 6. THE RAISE AND LOWER SPEED IS FIXED AT 11.5 INCHES/MINUTE AND IS NOT ADJUSTABLE. BUTTONS CAN BE JOGGED TO RAISE AND LOWER SLOWER IF DESIRED.
- 5. INPUT POWER: 100-240VAC, 50-60HZ, 600W. AN EXTENSION CORD (5 AMP MINIMUM RATING) IS NEEDED TO POWER UNIT (NOT PROVIDED). 3. FINISHES:
  - A. "STANDARD" FLOTRON FINISHES (SHOWN) CLASS 10K (ISO 7 CLEANROOM COMPATIBLE FINISHES) FLOTRON BLUE POWDER COATED END FRAMES, GEARBOX PAINTED FLOTRON BLUE, NICKEL PLATED COMPONENTS (NO ZINC) STAINLESS STEEL OR BLACK OXIDE FASTENERS AND MISC. HARDWARE. STANDARD LUBRICANTS.
  - B. "C" FINISH CLASS 1K (ISO 6 CLEANROOM COMPATIBLE FINISHES) SKY WHITE POWDER COATED END FRAMES, GEARBOX PAINTED GLOSS WHITE EPOXY, NICKEL PLATED COMPONENTS (NO ZINC), STAINLESS STEEL FASTENERS AND MISC. HARDWARE. OPEN-ENDED TUBES NICKEL PLATED. KRYTOX GPL 207 LUBRICANT ON CASTER SWIVEL BEARINGS, TRUNNION SHAFTS, AND JACKS (IF APPLICABLE).
- 3. CONFIGURATION SHOWN ON THIS SHEET: SPF-759-EML-DR3-P12-B060 FOR ADDITIONAL FIXTURE OPTINONS SEE CONFIGURATION SECTION ON SHEET 3.
- 2. LOAD RATING: 2,500 LBS @ 3.00" MAX ECCENTRICITY CONSIDERING A SIMULTANEOUS 1/2G SIDE LOAD (WORST CASE DIRECTION) AND A 1G VERTICAL LOAD. SFy=3 & SFult=5. MAX TORQUE ON GEARBOX 7,500 IN-LBS (2,000 IN-LBS MAX EASY CRANK FOR 60:1 **STANDARD** GEARBOX AND 7,200 IN-LB FOR 300:1 **DR3** GEARBOX)
- 1. WEIGHT IN TITLE BLOCK INCLUDES 2,500 LB PAYLOAD.


NOTES:

"C" FINISH OPTION COMES WITH BELLOWS COVERS (NOT SHOWN) TO PROTECT FROM CONTAMINATION DUE TO LIGHT COATING OF OIL ON ACTUATOR RODS.






POWER PLUG (EXTENSION CORD REQ'D - NOT PROVIDED)-





THESE BATTERIES FACILITATE MULTIPLE LIFT AND LOWER CYCLES BEFORE REQUIRING A CHARGE. THE PRECISE NUMBER OF CYCLES DEPENDS ON VARIOUS FACTORS SUCH AS THE PAYLOAD WEIGHT, LOAD ECCENTRICITY, AMBIENT TEMPERATURE, BATTERY AGE, AND LIFT DISTANCE. NONETHELESS, IT IS ESTIMATED THAT THE TOTAL NUMBER OF LIFT/LOWER CYCLES WITH A FULL PAYLOAD WEIGHT IS APPROXIMATELY EIGHT. THE BATTERIES CAN BE CHARGED THROUGH THE CONTROL BOX OR CAN BE DETACHED AND CHARGED THROUGH A SEPARATE LINAK SMPS006 CHARGER (SOLD SEPARATELY). TO ENSURE THAT THERE IS ALWAYS A CHARGED BATTERY AVAILABLE, AN ADDITIONAL BATTERY AND SMPS006 CHARGER CAN BE ORDERED. FOR FURTHER DETAILS REGARDING THE BATTERY, PLEASE REFER TO THE LINAK BA001 USER MANUAL AVAILABLE ONLINE.

This Drawing is the property of FLOTRON, Inc. and is not to
be used, copied or reproduced in any way other than for the
particular purpose for which it is provided, and when said
purpose has been fulfilled, it should be destroyed or returned
to FLOTRON, Inc.

-17 1	R MANOAL AVAILABLE ONLINE.							
<b>FLOTRON</b> <sup>®</sup> 2630 PROGRESS STREET VISTA, CALIFORNIA 92081 http://www.flotron.com								
ALE		SIZE	DRAWING NO.	REV				
	1 : 10	D	8053-600PROP					
			SHEET 4 (	DF 15				









sed, copied or reproduced in any way other than for the cular purpose for which it is provided, and when said ose has been fulfilled, it should be destroyed or returned		
cular purpose for which it is provided, and when said ose has been fulfilled, it should be destroyed or returned	Drawing is the property of FLOTRON, Inc. and is not to	
ose has been fulfilled, it should be destroyed or returned	sed, copied or reproduced in any way other than for the	S
	cular purpose for which it is provided, and when said	
OTRON, Inc.	ose has been fulfilled, it should be destroyed or returned	
	_OTRON, Inc.	

8	FLOTR	ON®	2630 PRO VISTA, CA http://www.fl	LIFORN	IA 92	
CALE		SIZE	DRAWING NO.			REV
	1 : 10	D	8053-600P	ROP		
				SHEET	6 0	DF 15


WHEN **D** OPTION IS CHOSEN, DR6 GEARBOX WILL HAVE A 600:1 RATIO. WITH **D** OPTION, FULL GEARBOX TORQUE CAPACITY CAN BE USED. COMES STANDARD WITH CLUTCH BETWEEN THE GEARBOX AND HAND CRANK TO PREVENT OVER-TORQUE OF GEARBOX IN CASE INDEX PIN WAS NOT REMOVED BEFORE ROTATION OR PAYLOAD ECCENTRICITY IS TOO HIGH. (SHOWN ABOVE WITH THE IND15 INDEX PLATE AND P12 TRUNNION INTERFACE MOUNT OPTIONS)








to FLOTRON, Inc.


# **TRUNNION INTERFACE MOUNT OPTIONS**




















s Drawing is the property of FLOTRON, Inc. and is not to	FLOTR	ON®	2630 PROGRESS STREET VISTA, CALIFORNIA 92081 http://www.flotron.com		
	SCALE	SIZE	DRAWING NO.		REV
ticular purpose for which it is provided, and when said pose has been fulfilled, it should be destroyed or returned	1 : 10	D	8053-600PF	ROP	
LOTRON, Inc.			5	<sup>SHEET</sup> 11	OF 15










SHEET 13 OF 15



8	FLOTR	ON®	2630 PROGRESS STREET VISTA, CALIFORNIA 92081 http://www.flotron.com			
ALE		SIZE	DRAWING NO.		REV	
	1 : 10	D	8053-600P	ROP		
				SHEET 14	OF 15	

# PROOF LOAD TEST (PLT) PROCEDURE

## PRIMARY AXIS PROOF LOAD REQUIREMENTS:

PROOF LOAD WEIGHT = 2 X 2,500 LBS = 5,000 LBS (MIN) 100% RATED TORQUE = **7,500 IN-LBS (MIN)** 

## STATIC PROOF LOAD TEST PROCEDURE (DO **NOT** ROTATE LOAD):

- 1. VERIFY THAT ALL STRUCTURAL COMPONENTS HAVE BEEN PROPERLY ASSEMBLED AND ALL BOLTS HAVE BEEN TORQUED
- 2. WEIGH PROOF LOAD TO MAKE SURE IT MEETS REQUIREMENT AND TAKE A PICTURE OF PROOF LOAD ON SCALE WITH LOAD VALUE ON SCALE VISIBLE FOR PROOF LOAD REPORT.
- 3. WHILE SUPPORTING PROOF LOAD WEIGHT TORQUE PROOF LOAD MOUNTING BOLTS THEN SLOWLY OFFLOAD PROOF LOAD WEIGHT ONTO FIXTURE. 4. STOP AS REQUIRED TO REVIEW AND INSPECT ANY UNEXPECTED NOISES OR MOVEMENTS.
- 5. START TIMER, TAKE A PICTURE OF CLOCK ON FIXTURE, AND HOLD FOR (5) FIVE MINUTES.
- AFTER 5 MINUTES, TAKE A SECOND PICTURE OF CLOCK ON FIXTURE AND VISUALLY INSPECT FOR CRACKS, DEFORMATION, ETC.

## IF JACK (J5) OPTION IS CHOSEN:

- 1. LOWER ALL JACKS TO CONTACT THE FLOOR WITHOUT COMPLETELY OFFLOADING WEIGHT FROM CASTERS.
- 2. AT ONE JACK LOCATION, EXTEND JACK TO RAISE CASTER 1/2" FROM FLOOR.
- 3. REVIEW THE REMAINING JACK POSITIONS AND DOCUMENT CLEARANCE TO FLOOR IF ANY.
- 4. EXTEND THE PARTNER JACK MOUNTED ON THE SAME END FRAME TO RAISE THE CASTER 1/2" FROM FLOOR LEVEL 5. FOLLOW THE PROCEDURE ON THE OPPOSITE END FRAME.
- 6. START TIMER, TAKE A PICTURE OF CLOCK ON FIXTURE, AND HOLD FOR (5) FIVE MINUTES.
- AFTER 5 MINUTES, TAKE A SECOND PICTURE OF CLOCK ON FIXTURE AND VISUALLY INSPECT FOR CRACKS, DEFORMATION, ETC.

## SECONDARY AXIS PROOF LOAD REQUIREMENTS (IF **SA** OPTION IS CHOSEN):


- 1. PROOF LOAD WEIGHT = 2 X 1,800 LBS = **3,600 LBS**
- 2. 100% PRIMARY AXIS RATED TORQUE = 12,000 IN-LBS
- 3. 100% SECONDARY AXIS RATED TORQUE = 10,000 IN-LBS


## SECONDARY AXIS PROOF LOAD TEST PROCEDURE (ROTATES LOAD 90°):

- 1. VERIFY THAT ALL STRUCTURAL COMPONENTS HAVE BEEN PROPERLY ASSEMBLED AND ALL BOLTS HAVE BEEN TORQUED.
- 2. WEIGH PROOF LOAD TO MAKE SURE IT MEETS REQUIREMENT AND TAKE A PICTURE OF PROOF LOAD ON SCALE WITH LOAD VALUE ON SCALE VISIBLE FOR PROOF LOAD REPORT.
- 3. WHILE SUPPORTING PROOF LOAD WEIGHT TORQUE PROOF LOAD MOUNTING BOLTS THEN SLOWLY OFFLOAD PROOF LOAD WEIGHT ONTO FIXTURE.
- 4. STOP AS REQUIRED TO REVIEW AND INSPECT ANY UNEXPECTED NOISES OR MOVEMENTS.
- 5. START TIMER AND TAKE A PICTURE OF TIMER. HOLD FOR (5) FIVE MINUTES. AFTER 5 MINUTES VISUALLY INSPECT FOR CRACKS, DEFORMATION, ETC. TAKE ANOTHER PICTURE OF TIMER.
- 6. ROTATE PROOF LOAD 90°, START TIMER AND TAKE A PICTURE OF TIMER. HOLD FOR (5) FIVE MINUTES. AFTER 5 MINUTES VISUALLY INSPECT FOR CRACKS, DEFORMATION, ETC. TAKE ANOTHER PICTURE OF TIMER.

## DELIVERABLE REPORT REQUIRED. IT MUST INCLUDE:

- A) A SUMMARY OF THE TEST PROCEDURE
- B) A PICTURE OF THE ACTUAL MEASURED WEIGHT OF PROOF LOAD ON SCALE.
- WEIGHT MUST BE EQUAL TO OR HIGHER THAN REQUIRED WEIGHT.
- C) PICTURE OF TIMER WITH PROOF LOAD THAT SHOWS 5 MINUTES OR LONGER FOR EACH TEST.
- D) VISUAL INSPECTION RESULTS





## SFP-759 Dynamic Loading (1.0 G Vertical & 0.5 G Horizontal)

Drawing is the property of FLOTRON, Inc. and is not to
sed, copied or reproduced in any way other than for the
cular purpose for which it is provided, and when said
ose has been fulfilled, it should be destroyed or returned
OTRON, Inc.

8	FLOTR	ON®	2630 PROGRESS STREET VISTA, CALIFORNIA 92081 http://www.flotron.com				
CALE		SIZE	DRAWING NO.			REV	
	1 : 10	D	8053-600P	ROP			
				SHEET	15	OF 15	